

The NoroGard R8 is a combination of state-of-the-art engineering, innovation and design.

The new compact R8 is sophisticated and performs top-quality application from the first to the last kernel.

NoroGard R8 Continuous Seed Treater



CAPACITY

3,2-8 ton/hour

The NoroGard R8 Continuous Seed Treater provides a capacity to treat from a batch of 3 litre up to 8 tons/hour which makes it suitable not only in production, but also for laboratory use. This makes it easily adapted for small and medium sized treatment plants.

NoroGard 
sophisticated seed treatment

NoroGard R8

Continuous Seed Treater



The Continuous Seed Treater meets the requirements for:

- Compact design
- High application quality
- Continuous control of dosage rate
- Easy cleaning
- Easily operated
- Integrated hectolitre weigher

The NoroGard Continuous Seed Treater is recommended for the processing of volume seeds. The treater has an even flow of both seeds and the treating liquids that is continuously measured.

The NoroGard R8 Continuous Seed Treater is a machine designed for seed plants with a need for treatment of cereals, corn, peas, soybeans, OSR, cotton, sunflowers, etc with a capacity between 3,2-8 tons per hour. The treater provides easy dosage calibration within a closed system, easy and quick cleaning and accurate application, all within its compact and reliable construction.

The seed is measured by an integrated hectolitre weigher in order to make sure you get the proper application rate to each seed. The treater is equipped with sensors that detect start of treatment, which can be controlled to synchronize liquid delivery to the seed. The machine is also designed with a sophisticated dust evacuation to provide high-quality application, and a supervising system that stops the machine when failure occurs.

The calibration and/or checking of the dosing rate is done within the closed system in order to prevent seed or treating liquid from being sacrificed with complete operator safety.


The NoroGard pumps are made in house and specially designed to perform under tough conditions. The NoroGard Diaphragm pump is outstanding in reliability and low maintenance in comparison to any peristaltic pump on the market. The pumps have a pressure equilization for an even flow with less pulses, which insures high dosing accuracy. The pumps are also reversible, easy to operate and have a long life cycle.

The machine is easily operated by the NoroGard software through a touch screen and delivered with an Ipad for external access and supervision possibilities via internet. The Ipad also functions as a remote control.

The R8 is approved for the European CE worker's safety standard.

TECHNICAL SPECIFICATION

Power requirement	2,0 Kw
Capacity ton/hour (wheat with density 850 kg/m3)	3,2-8 ton/hour
Compressed air	50 litre / min
Dosage system	1-8 (see options)
Dosage rate (per system)	50-1000 ml/100kg
Max suction height	3 m
Weight	212 kg
Width	800 mm
Depth	1180 mm
Height	960 mm
Warranties	Orgalime S2012



NoroGard machines are built to last for 20 years.



Calibration of the dosage system is easily operated and controlled in a closed system.

TECHNICAL SPECIFICATION OPTIONAL CONTROL SYSTEMS


R8 ULD	
Continuous control of dosage rates	Yes
Touch screen	10,5"
GSM Modem Connection	yes, connect to NoroGard service and/or remote computer/device.
PLC Control System	Schneider Electric and Norogard Control Software
Calibration	Manually

OPTIONS

- Remote control cabinet consisting of a touch panel and a start/stop button. Should preferably be placed at the filling up station.
- Extra dosing systems, maximum 8, for liquids. Each dosage system has a capacity of 50-1000 ml/100kg seeds.
- Powder feeding system.
- Extra mixing tube
- Printer for printing out statistics

NOROGARD R 8 CONTINUOUS SEED TREATER • MEASUREMENTS

SECTION B-B



NOROGARD

NoroGard AB is based in Sweden where we develop and have been producing high quality Seed Treatment Equipment since 1965.

The NoroGard seed treaters are designed to be extremely reliable, knowing our treaters will be under strenuous conditions. The NoroGard dosage systems are unique and equipped with pumps and flow meters of our own design, in order to offer you the best possible application quality and reliability.

Personal service and customization is a keystone at NoroGard. NoroGard delivers sophisticated Seed Treaters worldwide with personal support.


NoroGard seed treaters are build to last for twenty years, should a standstill occur in spite of this, we allways keep your spareparts in stock.

OUR INNOVATIONS

The NoroGard pumps are one of our innovations developed and made in house and specially designed to perform under tough conditions.

NoroGard Diaphragm pump is outstanding in reliability and low maintenance compared to any peristaltic pump on the market.

The NoroGard pumps have a pressure equalization for an even flow with less pulses, which insures high dosing accuracy. The NoroGard pumps are also reversible, easy to operate and have a long life cycle.



For more information, please contact your local sales representative.

NoroGard 

NoroGard AB, Agnesfridsvägen 184 B7
S-213 75 Malmö, SWEDEN
+46 411-49150 • mail@norigard.com
www.norigard.com